

Triangulating the Apdex Metric with Barry-3

Session 45A

CMG International Conference
San Diego, California
December 5, 2007



Dr. Neil J. Gunther
Performance Dynamics
Castro Valley, California
njgunther@perfdynamics.com



Mario Francois Jauvin
MFJ Associates
Ottawa, Canada
mario@mfjassociates.net

Motivation

Better Performance Through
Better Visualization



How High is Mt. Everest?




- Highest mountain in the world
 - How do we know that?
 - It's a single number (like A_7)
- Estimates have varied
 - It's rising a few mm each year
 - But moves northward several cm
 - GPS is less accurate for heights
- Surveyors solved this problem a long time ago


All Done with Triangles



- Well known procedure using triangulation
 - Start with short distances
 - Form triangles
 - Lock each triangle to neighbor
- Great Trigonometric Survey of India
 - How big is my colony?
 - Started by the British c.1790
 - George Everest joined in 1822
 - First estimate of height (8849m) c.1850
 - 1992 est. 8848.82m
- Triangles are a powerful thing




Some Facts About Triangles



- In following, consider only equilateral Δ (each interior angle = 60°)
- For Δ sides of length 2, height $h = \sqrt{3}$
 - For Δ sides of length 1, height $h = \sqrt{3}/2$
 - For Δ sides of length $2/\sqrt{3}$, height $h = 1$
- Bisector of each side also bisects opposite interior angle (30°)

Slide 5


The Centroid



- Centroid (P) or “center of gravity” is $1/3$ rd height of the Δ (h)
- By symmetry, centroid is at $1/3$ rd length of each bisector (b and c)
- We see: $a + a + a = h$ and also know $b = c = a$
- Therefore: $a + b + c = h$ (sum rule)

Slide 6

Barycentric Point



- Even if point P is moved away from centroid
 - Sum rule: $a + b + c = h$ still holds
 - True for any point inside the Δ
- Choose $h = 1$ as a convenient normalization
- Any 3 metrics that sum to 1 can be mapped to this coordinate system

Slide 7

Apdex Categories




- **Categorical data**
 - Sampled RTT counts
 - Categorized by threshold time T
 - Satisfied ($0 < \text{Sat} < T$)
 - Tolerating ($T < \text{Tol} < 4T$)
 - Frustrated ($\text{Frus} > 4T$)
- **Ratio of counts**
 - If total counts in any period is *Cnt*, then $\text{Sat} + \text{Tol} + \text{Frus} = \text{Cnt}$
 - Equivalently: $(\text{Sat}/\text{Cnt}) + (\text{Tol}/\text{Cnt}) + (\text{Frus}/\text{Cnt}) = 1$
 - Think of each term as a percentage of Cnt
 - Satisfied% + Tolerating% + Frustrated% = 100%
 - More simply: $s + t + c = 1$
 - Where: $s = \text{Satisfied\%}$, $t = \text{Tolerating\%}$, $f = \text{Frustrated\%}$
- **Barycentric coordinates**
 - $s + t + c = 1$ means each triple $\{s, t, c\}$ is a barycentric point
 - Only need a pair of $\{s, t, c\}$ because of sum rule

Slide 8

Apdex Index



- **Apdex categories define Index**
 - $A_T = s + t/2$
- **Application responsiveness**
 - A_T based on RTT counts e.g., Gomez
 - User-perceived performance (not system performance)
- **Single number A_T reported**
 - Aimed at Executive Mgrs.
 - Normalized range: $0 < A_T < 1$
 - Colored zones for A_T values
- **Some Limitations**
 - How to compare 5 geographic A_T values for the same application? (Table?)
 - How to compare 5 geographic A_T values for 5 apps? (messy)
 - Most enterprises need to compare 100's of apps? (give up?)
 - Also want to know how multiple A_T values change in time




Slide 9

Solution

Mapping Apdex to Barry-3




Locating A_T in Barry-3



- Any 3 metrics that sum to 1 can be mapped to Barry-3 system
 - Apex categories: $s + t + f = 1$
 - Triple $\{s, t, f\}$ define any point inside Δ
- Barry-3 coordinates
 - Arrows $\{s, t, f\}$ range from each side (min=0) to opp. interior angle (max=1)

Slide 11


Adding Apdex Zones



- A_T zones are *diagonal bands*
 - NOTE: Zone edges are parallel to Barry t-axis
- Zone boundaries are lines of constant A_T (*isoclines*)
- Zones are actually independent of Barry-3 coordinates

Slide 12

Example A_T Data in Barry-3




- Shown are 5 geographic measurements of the same app
 - Some points may cover each other
 - Most clustered near $s = 1$ apex in this sample
 - One straggler is near the centroid
- Data supplied by Peter Sevcik

Slide 13

Benefits of Barry-3



- **Compact visualization**
- **Simultaneous metric display**
 - Actual A_T index is a point inside triangle
 - Apex categories $\{s,t,f\}$ determine its position
- **Disambiguation**
 - Same A_T index can have different values of $\{s,t,f\}$
 - Don't pay attention if you don't care
- **Apdex zones become colored diagonal bands**
- **Multiple applications**
 - Represent each app by different marks or colored points
 - More data without making Barry-3 triangle larger
- **Animating Changes**
 - Changes in performance appear as movement of points
 - Can represent historical record of A_T index ("flight recorder")



Slide 14

Thank You



Questions?

